Version 1.0

Revision Date 05/26/2015

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Boardwalk Air Freshener Garden	BWK900
Material number	:	1048765 / A07739	
Manufacturer or supplier's o	leta	ails	
Company	:	Boardwalk / Essendant Co.	
Address	:	One Parkway North Deerfield, IL 60015	
Telephone	:	844-828-5617	
Emergency telephone nu	mb	ers	
For SDS Information		: 844-828-5617	
For a Medical Emergency	,	:	
For a Transportation		: Chemtel: 1(800)255-3924	

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

Emergency

Appearance	Liquefied gas	
Colour	colourless	
Odour	characteristic	

## **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 3 (Central nervous system)</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Pressurized container: Do not pierce or burn, even after use.</li> </ul>

rsion 1.0	ESHENER GARDEN 12N5.3 Revision Date 05/26/2015	<b>BWK900</b> Print Date 03/21/201
	<ul> <li>P261 Avoid breathing dust/ fume/ ga</li> <li>P264 Wash skin thoroughly after har</li> <li>P271 Use only outdoors or in a well-</li> <li>P280 Wear eye protection/ face prot</li> <li><b>Response:</b></li> <li>P304 + P340 + P312 IF INHALED: F</li> <li>and keep at rest in a position comfor</li> <li>POISON CENTER or doctor/ physici</li> <li>P305 + P351 + P338 IF IN EYES: R</li> <li>for several minutes. Remove contact</li> <li>easy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persists</li> <li>attention.</li> <li><b>Storage:</b></li> <li>P405 Store locked up.</li> <li>P410 + P412 Protect from sunlight. If</li> <li>temperatures exceeding 50 °C/ 122</li> <li>P403 Store in a well-ventilated place</li> <li><b>Disposal:</b></li> <li>P501 Dispose of contents/container</li> <li>regulation.</li> </ul>	as/ mist/ vapours/ spray. hdling. ventilated area. ection. Remove victim to fresh a table for breathing. Call ian if you feel unwell. inse cautiously with wate t lenses, if present and : Get medical advice/ Do not expose to °F. e.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present a equal to 0.1% is identified as probable, human carcinogen by IARC.	
ACGIH	No component of this product present a equal to 0.1% is identified as a carcinog carcinogen by ACGIH.	
OSHA	No component of this product present a equal to 0.1% is identified as a carcinog	t levels greater than or en or potential
NTP	carcinogen by OSHA. No component of this product present a equal to 0.1% is identified as a known o by NTP.	

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 30 - < 50
2-(2-ethoxyethoxy)ethanol	111-90-0	>= 20 - < 30
propane	74-98-6	>= 20 - < 30
Naphtha (petroleum), light alkylate	64741-66-8	>= 1 - < 5

# **SECTION 4. FIRST AID MEASURES**

General advice

: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.

SAFETY DATA SHEET BOARDWALK AIR FF	RESHENER GARDEN 12N5.3	BWK900
Version 1.0	Revision Date 05/26/2015	Print Date 03/21/2017
If inhaled	: Consult a physician after significant If unconscious place in recovery pos advice.	
In case of skin contact	<ul> <li>If skin irritation persists, call a physi</li> <li>Wash off immediately with plenty of minutes.</li> <li>If on clothes, remove clothes.</li> <li>Wash contaminated clothing before</li> </ul>	water for at least 15
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a sp In case of contact, immediately flush for at least 15 minutes.</li> </ul>	ecialist.
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center.	).

# SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	cohol-resistant foa arbon dioxide (CO y chemical ater spray jet	
Unsuitable extinguishing media	gh volume water j	et
Specific hazards during firefighting	o not allow run-off purses.	from fire fighting to enter drains or water
Hazardous combustion products	arbon dioxide (CO arbon monoxide noke	2)
Specific extinguishing methods	se extinguishing m	easures that are appropriate to local he surrounding environment.
Further information	e disposed of in ac or safety reasons in parately in closed	ontaminated fire extinguishing water must cordance with local regulations. n case of fire, cans should be stored containments. o cool fully closed containers.
Special protective equipment for firefighters	ear self-contained cessary.	breathing apparatus for firefighting if

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### SAFETY DATA SHEET **BOARDWALK AIR FRESHENER GARDEN 12N5.3 BWK900** Version 1.0 Revision Date 05/26/2015 Print Date 03/21/2017 Personal precautions, : Use personal protective equipment. protective equipment and Ensure adequate ventilation. emergency procedures Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. : Prevent product from entering drains. Environmental precautions Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Methods and materials for : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). containment and cleaning up

container for disposal.

Sweep up or vacuum up spillage and collect in suitable

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use. Do not breathe vapours or spray mist.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from, oxidizing agents and acids. Store and keep away from bases and alkalies.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
acetone	67-64-1	TWA	500 ppm	ACGIH

## Components with workplace control parameters

SAFETY DATA SHEET BOARDWALK AIR FRESHENER GARDEN 12N5.3

Version 1.0

Revision Date 05/26/2015

**BWK900** Print Date 03/21/2017

		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
2-(2-ethoxyethoxy)ethanol	111-90-0	TWA	25 ppm	US WEEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

# **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after	50 mg/l	ACGIH BEI
				exposure ceases)		

# Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed
		with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: Liquefied gas

# SAFETY DATA SHEET BOARDWALK AIR FRESHENER GARDEN 12N5.3

**BWK900** Print Date 03/21/2017

Revision Date 05/26/2015

Colour	: colourless	
Odour	: characteristic	
Odour Threshold	: no data available	
рН	: not applicable	
' Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	: <-6.6 °C	
•		
Evaporation rate	: no data available	
Flammability (solid, gas)	: Extremely flammable aeroso	ol.
Linguage and the March Parch	and the survey light to	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: partly soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n-	: no data available	
octanol/water		
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 36.59 kJ/g	
	-	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Bases Oxidizing agents

SAFETY DATA SHEET BOARDWALK AIR FRESHENER GARDEN 12N5.3

Version 1.0

Revision Date 05/26/2015

Hazardous decomposition : oproducts

: Carbon monoxide Carbon dioxide (CO2)

## SECTION 11. TOXICOLOGICAL INFORMATION

# Acute toxicity **Components:** acetone: Acute oral toxicity : LD50 rat: 5,800 mg/kg Acute inhalation toxicity : LC50 rat: 132 mg/l Exposure time: 3 h LC50 rat: 50.1 mg/l : LD50 guinea pig: > 7,426 mg/kg Acute dermal toxicity LD50 rabbit: > 7,426 mg/kg propane: Acute inhalation toxicity : LC50 mouse: 1,237 mg/l Exposure time: 2 h LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

## Naphtha (petroleum), light alkylate:

Acute oral toxicity	: LD50 rat: 4,820 mg/kg
Acute inhalation toxicity	: LC50 rat: > 5,020 mg/l

Exposure time: 4 h LC50 rat: > 4,980 mg/l Exposure time: 4 h

> LC50 rat: > 4.96 mg/l Exposure time: 4 h

Acute dermal toxicity : LD50 rabbit: > 1,900 mg/kg

# Skin corrosion/irritation

# Product:

Remarks: May cause skin irritation and/or dermatitis.

Version 1.0

#### Serious eye damage/eye irritation

## Product:

Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

acetone: 2-(2-ethoxyethoxy)ethanol: propane: Naphtha (petroleum), light alkylate:

#### STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

#### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

no data available

#### Persistence and degradability

no data available Bioaccumulative potential

#### Product:

Partition coefficient: n- : Remarks: no data available octanol/water <u>Components:</u> 2-(2-ethoxyethoxy)ethanol :

SAFETY DATA SHEET BOARDWALK AIR FRE Version 1.0	ESHENER GARDEN 12N5.3 Revision Date 05/26/2015	BWK900 Print Date 03/21/2017
Partition coefficient: n- octanol/water	: Pow: 0.54	
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environmen Stratospheric Ozone - CAA Sectic Substances	-
Remarks	This product neither contains, nor with a Class I or Class II ODS as Clean Air Act Section 602 (40 CFI + B).	defined by the U.S.
Additional ecological information	: An environmental hazard cannot be event of unprofessional handling of aquatic life with long lasting effect	or disposal., Harmful to

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

# SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY
Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity
Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity
Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity
Transportation Regulation: TDG (Canada):

SAFETY DATA SHEET

**BOARDWALK AIR FRESHENER GARDEN 12N5.3** 

Version 1.0

Revision Date 05/26/2015

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

## **SECTION 15. REGULATORY INFORMATION**

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	•	Calculated product RQ
		(lbs)	(lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	s : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	<ul> <li>SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.</li> </ul>
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of th	is product are reported in the following inventories:
TSCA	On TSCA Inventory

IJCA	On ISCA Inventory
DSL	All components of this product are on the Canadian DSL.
AICS	On the inventory, or in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory


## Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

**BWK900** Print Date 03/21/2017

## **Further information**



## HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

## **OSHA GHS Label Information:**

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eve irritation. May cause drowsiness or dizziness.
Precautionary statements	:
	<ul> <li>Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.</li> <li>Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection.</li> <li>Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.</li> <li>Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Version:	1.0
Revision Date:	05/26/2015
Print Date:	03/21/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

<sup>2 =</sup> Moderate, 3 = High 4 = Extreme, \* = Chronic